CeraFloor Select. The top of the range, solid stainless steel shower channel with exclusive on-trend finishes.







CeraFloor Select, the innovation

Modern bathrooms are a reflection of the needs and desires of the user. Open and generously sized design of level-access showers are a sign of good taste, which is why we designed the CeraFloor Select shower channel, a system that develops its full effect over the surface area.





- 1. Solid 6-mm stainless steel strip
- 2. Void-free laying in the adhesive bed
- 3. DallFlex sealing sleeve
- 4. Bonded waterproofing



Our service for you: installation video

At dallmer.de/en/videocenter/, you will find a video which clearly shows just how easy it is to install CeraFloor.

Technical information

Build-in heights with DallFlex drain body: 65 mm or 90 mm Build-in heights with DallFlex shower underlay: from 80 mm Drainage rates: 0.5 l/s – 0.83 l/s* Suitable for floor finish of 10 – 32 mm and wall finish of 12 – 24 mm (including adhesive bed). Lengths: 800 – 1500 mm, lengths above 1600 mm to be realised by combination of several CeraFloor shower channels.

 * depending on the drain version and connection type





CeraFloor Select – with series connection



One step ahead

Whether in a hotel or spa, CeraFloor Select is the perfect choice for the drainage of large spa complexes and the all-round water drainage of pool areas.

In changing rooms, a row of showers can be created simply and stylishly. Everything is possible with CeraFloor Select thanks to its series connection system.

Installation of CeraFloor Select with lengths above 1600 mm

Lengths above 1600 mm to be realised by combination of several CeraFloor shower channels.

